



## **Neurofeedback Research Bibliography:**

### **Brain Injury, TBI, Stroke, Coma, Spasticity & Cerebral Palsy**

Ayers, M. E. (1981). A report on a study of the utilization of electroencephalography for the treatment of cerebral vascular lesion syndromes. Chapter in L. Taylor, M. E. Ayers, & C. Tom (Eds.), *Electromyometric Biofeedback Therapy*. Los Angeles: Biofeedback and Advanced Therapy Institute, pp. 244-257.

Ayers, M. E. (1987). Electroencephalic neurofeedback and closed head injury of 250 individuals. *Head Injury Frontiers*. National Head Injury Foundation, 380-392.

Ayers, M. E. (1991). A controlled study of EEG neurofeedback training and clinical psychotherapy for right hemispheric closed head injury. Paper presented at the National Head Injury Foundation, Los Angeles, 1991.

Ayers, M. E. (1995a). A controlled study of EEG neurofeedback and physical therapy with pediatric stroke, age seven months to age fifteen, occurring prior to birth. *Biofeedback & Self-Regulation*, 20(3), 318.

Ayers, M. E. (1995b). EEG neurofeedback to bring individuals out of level 2 coma. *Biofeedback & Self-Regulation*, 20(3), 304-305.

Ayers, M. E. (1999). Assessing and treating open head trauma, coma, and stroke using real-time digital EEG neurofeedback. Chapter in J. R. Evans & A. Abarbanel (Eds.), *Introduction to Quantitative EEG and Neurofeedback*. New York: Academic Press, pp. 203-222.

Ayers, M. E. (2004). Neurofeedback for cerebral palsy. *Journal of Neurotherapy*, 8(2), 93- 94.

Bachers, A. (2004). Neurofeedback with cerebral palsy and mental retardation. *Journal of Neurotherapy*, 8(2), 95-96.

Bearden, T. S., Cassisi, J. E., & Pineda, M. (2003). Neurofeedback training for a patient with thalamic and cortical infarctions. *Applied Psychophysiology & Biofeedback*, 28(3), 241-253.

Bounias, M., Laibow, R. E., Bonaly, A., & Stubblebine, A. N. (2001). EEGneurobiofeedback treatment of patients with brain injury: Part 1: Typological classification of clinical syndromes. *Journal of Neurotherapy*, 5(4), 23-44.

Bounias, M., Laibow, R. E., Stubbelbine, A. N., Sandground, H., & Bonaly, A. (2002). EEG neurobiofeedback treatment of patients with brain injury Part 4: Duration of treatments as a function of both the initial load of clinical symptoms and the rate of rehabilitation. *Journal of Neurotherapy*, 6(1), 23-38.

Byers, A. P. (1995). Neurofeedback therapy for a mild head injury. *Journal of Neurotherapy*, 1(1), 22-37.

Doppelmayr, M., Nosko, H., Pecherstorfer, T., & Fink, A. (2007). An attempt to increase cognitive performance after stroke with neurofeedback. *Biofeedback*, 35(4), 126-130.

Duff, J. (2004). The usefulness of quantitative EEG (QEEG) and neurotherapy in the assessment and treatment of post-concussion syndrome. *Clinical EEG & Neuroscience*, 35(4), 198-209.

Ham, L. P., & Packard, R. C. (1996). A retrospective, follow-up study of biofeedback assisted relaxation therapy in patients with posttraumatic headache. *Biofeedback & Self-Regulation*, 21(2), 93-104.

Hammond, D. C. (2007). Can LENS neurofeedback treat anosmia resulting from a head injury? *Journal of Neurotherapy*, 11(1), 57-62.

Hoffman, D. A., Stockdale, S., & Van Egren, L. (1996a). Symptom changes in the treatment of mild traumatic brain injury using EEG neurofeedback [Abstract]. *Clinical Electroencephalography*, 27(3), 164.

Byers, A. P. (1995). Neurofeedback therapy for a mild head injury. *Journal of Neurotherapy*, 1(1), 22-37.

Doppelmayr, M., Nosko, H., Pecherstorfer, T., & Fink, A. (2007). An attempt to increase cognitive performance after stroke with neurofeedback. *Biofeedback*, 35(4), 126-130.

Duff, J. (2004). The usefulness of quantitative EEG (QEEG) and neurotherapy in the assessment and treatment of post-concussion syndrome. *Clinical EEG & Neuroscience*, 35(4), 198-209.

Ham, L. P., & Packard, R. C. (1996). A retrospective, follow-up study of biofeedback assisted relaxation therapy in patients with posttraumatic headache. *Biofeedback & Self-Regulation*, 21(2), 93-104.

Hammond, D. C. (2007). Can LENS neurofeedback treat anosmia resulting from a head injury? *Journal of Neurotherapy*, 11(1), 57-62.

Hoffman, D. A., Stockdale, S., & Van Egren, L. (1996a). Symptom changes in the treatment of mild traumatic brain injury using EEG neurofeedback [Abstract]. *Clinical Electroencephalography*, 27(3), 164.

Hoffman, D. A., Stockdale, S., & Van Egren, L. (1996b). EEG neurofeedback in the treatment of mild traumatic brain injury [Abstract]. *Clinical Electroencephalography*, 27(2), 6.

Keller, I. (2001). Neurofeedback therapy of attention deficits in patients with traumatic brain injury. *Journal of Neurotherapy*, 5, 19-32.

Laibow, R. E., Stubblebine, A. N., Sandground, H., & Bounias, M. (2001). EEG neurobiofeedback treatment of patients with brain injury: Part 2: Changes in EEG parameters versus rehabilitation. *Journal of Neurotherapy*, 5(4), 45-71

Putnam, J. A. (2001). EEG biofeedback on a female stroke patient with depression: A case study. *Journal of Neurotherapy*, 5(3), 27-38.

Rozelle, G. R., & Budzynski, T. H. (1995). Neurotherapy for stroke rehabilitation: A single case study. *Biofeedback & Self-Regulation*, 20(3), 211-228.

Schoenberger, N. E., Shiflett, S. C., Esty, M. L., Ochs, L., & Matheis, R. J. (2001). Flexyx neurotherapy system in the treatment of traumatic brain injury: An initial evaluation. *Journal of Head Trauma Rehabilitation*, 16(3), 260-274.

Sterman, M. B., Ayers, M. E., & Goodman, S. J. (1976). Case study: Effects of SMR suppression on EEG and motor patterns in a quadriplegic patient. *Biofeedback & Self-Regulation*, 1(3), 340-341.

Thatcher, R. W. (2000). EEG operant conditioning (biofeedback) and traumatic brain injury. *Clinical Electroencephalography*, 31(1), 38-44.

Thornton, K. (2000). Improvement/rehabilitation of memory functioning with neurotherapy/QEEG biofeedback. *Journal of Head Trauma Rehabilitation*, 15(6), 1285-1296.

Thornton, K. (2001). Electrophysiology of auditory memory of paragraphs towards a projection/activation theory of the mind. *Journal of Neurotherapy*, 4(3), 45-72.

Thornton, K. (2002) Rehabilitation of Memory functioning with EEG Biofeedback, *Neurorehabilitation*, 17(1), 69-81

Thornton, K. E., & Carmody, D. P. (2005). Electroencephalogram biofeedback for reading disability and traumatic brain injury. *Child & Adolescent Psychiatric Clinics of North America*, 14(1), 137-162.

Thornton, K. E., & Carmody, D. P. (2008). Efficacy of traumatic brain injury rehabilitation: Interventions of QEEG-guided biofeedback, computers, strategies, and medications. *Applied Psychophysiology & Biofeedback*, 33(2), 101-124.

Tinius, T. P., & Tinius, K. A. (2001). Changes after EEG biofeedback and cognitive retraining in adults with mild traumatic brain injury and attention deficit disorder. *Journal of Neurotherapy*, 4(2), 27-44.

Walker, J. E. (2007). A neurologist's experience with QEEG-guided neurofeedback following brain injury. Chapter in J. R. Evans (Ed.), *Handbook of Neurofeedback*. Binghamton, NY: Haworth Medical Press, pp. 353-361.

Wing, K. (2001). Effect of neurofeedback on motor recovery of a patient with brain injury: A case study and its implications for stroke rehabilitation. *Topics in Stroke Rehabilitation*, 8(3), 45-53.